



RACE PRO PRODUCTS, INC.
7948 SHADOW TRAILS LANE RIVERSIDE, CA. 92509
TELEPHONE: 800-657-4811 FAX LINE: 800-655-9792

MATERIAL SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

GENERIC NAME: WINDSHIELD WASH

Revision Date: November 2009

THIS GENERIC MSDS REPRESENTS THE FOLLOWING RACE PRO COMPANY PRODUCTS

Trade Name: Race Pro Windshield Wash

Chemical Family: Methyl Alcohol

Synonyms: None

Emergency Telephone (24 hr.): CHEMTREC 1-800-424-9300

Technical Information: 1-800-368-1264

Supplier: Race Pro Products Company, Riverside, Ca. 92509 www.raceproproducts.com

Tel: 1-800-657-4811 **Fax:** 1-800-655-9792

2. COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL	CAS#	%	PEL(OSHA)	TLV TWA (SKIN)
Methyl Alcohol	67-56-1	1 - 5%	NONE	NONE

3. HAZARDS IDENTIFICATION

Appearance & Odor: Light blue colored, Alcohol smell.

Health Hazards: non-poisonous. Use only in a well-ventilated area.

Physical Hazards: non-Flammable.

HAZARD RATING SYSTEM (NFPA)

HEALTH: 1 FIRE: 0 REACTIVITY: 0

KEY: 0-Minimal, 1-Slight, 2-Moderate, 3-Serious, 4-Severe

POTENTIAL HEALTH EFFECTS

Routes of Exposure: Inhalation

Prolonged inhalation of vapors may cause dizziness, nausea, visual impairment, respiratory failure, muscular in coordination and narcosis. Inhalation of high concentrations for prolonged periods has resulted in death. Liver damage has resulted from prolonged or repeated inhalation of vapors.

4. FIRST AID MEASURES

Eyes: May cause eye injury which may persist for several days. Liquid, and vapor in high concentrations, causes irritation, tearing and burning sensation.

First Aid – Eyes: Flush eyes with water for at least 15 minutes. Contact a physician immediately.

Skin: Essentially non-irritating. Repeated or prolonged contact causes drying, brittleness, cracking, and irritation. Slightly toxic to animals by absorption.

First Aid – Skin: Remove contaminated clothing and wash contaminated skin with large amounts of water. If irritation persists, contact a physician.

Inhalation: Remove to fresh air. If not breathing, administer CPR. If breathing is difficult, give oxygen. Call a physician.

Ingestion: Give 1 or 2 glasses of water. Call a physician, hospital, emergency room or poison control center immediately for instructions to induce vomiting.

5. FIRE FIGHTING MEASURES

SPECIAL FIRE FIGHTING PROCEDURES AND PRECAUTIONS: Non-Flammable.

PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS: Wear positive-pressure, self-contained breathing apparatus (SABA) and protective fire fighting clothing (includes fire fighting helmet, coat, pants, boots and gloves).

Normal handling: Avoid contact with contents. Do not drop or puncture. Keep upright at all times. If this package is damaged or decomposed, contact supplier.

Storage: Do not stack more than 4 cases high (palletted). Do not stack with other oxidizing or corrosive chemicals. Store in a dry place away from direct sunlight or heat. Rotate stock.

Precautionary Label: Contains Methanol less than 5%.

6. ACCIDENTAL RELEASE MEASURES

PROTECT PEOPLE: Material is moderately toxic when ingested. Take adequate precautions to keep people, especially children away from spill site. PVC-coated rubber gloves and monogoggles or face shield can be used during cleanup of spill site.

PROTECT THE ENVIRONMENT: Do not dump used product or diluted material into sewers, on the ground or into any body of water.

CLEAN UP: Small spills: Soak up with absorbent material. Large spill: Dike and pump into suitable containers for disposal. Ensure compliance with all applicable statues that require notification of appropriate government officials.

7. HANDLING AND STORAGE

Practice reasonable care and cleanliness. Avoid breathing spray mists. Keep out of reach of children. This product is stable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection:

Respiratory protection is required if airborne concentration exceeds TLV. At any detectable concentration, any self-contained breathing apparatus with a full face piece and operated in a pressure-demand or other positive pressure mode or any supplied-air respirator with a full face piece and operated in a pressure-demand or other positive pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive pressure mode.

Escape: Any air-purifying full-face piece respirator (gas mask) with a chin-style or front or back mounted organic vapor canister or any appropriate escape type self-contained breathing apparatus.

Skin Protection:

Protective gloves recommended when prolonged skin contact cannot be avoided. Safety shower should be available.

Eye Protection:

Safety goggles and face shield. Emergency eyewash should be available. Contact lenses should not be worn when working with this chemical.

Engineering Controls: Use general or local exhaust ventilation to meet TLV requirements.

9. STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: Prevent vapor accumulation.

10. TOXICOLOGICAL INFORMATION

SKIN: Not known

INGESTION: Not known

MUTAGENICITY (THE EFFECTS OF GENETIC MATERIAL: Not known)

11. DISPOSAL CONSIDERATION

DO NOT discharge to sewer. Wear appropriate personal protection. Take up with sand, vermiculite or similar inert material. Dispose in accordance with federal, state, and local regulations.

12. OTHER INFORMATION

Race Pro Product Company makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of their own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Race Pro Product Company as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Race Pro Products Company assume liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This MSDS relates only to material safety data, not the labeling of a container.